## Whalen, Marilyn

From: Beach, John

**Sent:** Wednesday, June 25, 2014 10:13 AM

To: Nurre, Deirdre

**Cc:** Armann, Steve; Huetteman, Tom **Subject:** FW: Draft Plan for SMMUSD

Attachments: removed.txt; SMMUSD PCB Comprehensive Plan 4-25-2014.pdf

Follow Up Flag: Follow up Completed

Categories: Green Category

This is the first of 2 plans I will send you. This is the general district-wide plan. The HS-specific plan went through iterations and will follow.

## John

From: Huetteman, Tom

Sent: Tuesday, June 10, 2014 9:26 AM

To: Beach, John

Subject: FW: Draft Plan for SMMUSD

This is the plan we commented on.

Tom Huetteman, Assistant Director

RCRA Branch, Land Division, USEPA Region 9

415-972-3751

From: Armann, Steve

Sent: Monday, April 28, 2014 8:10 AM

To: Huetteman, Tom

Subject: FW: Draft Plan for SMMUSD

Steven S. Armann, Manager Corrective Action Office (LND-4-1) USEPA Region 9 75 Hawthorne Street San Francisco, CA 94105

Phone: 415-972-3352 Fax: 415-947-3533

Email: armann.steve@epa.gov

From: Yi Tian [mailto:YTian@environcorp.com]

Sent: Friday, April 25, 2014 7:27 PM

To: Armann, Steve; Tom.Huetteman@epa.gov

Cc: swahrenbrock@smmusd.org; Lyon, Sandra; Janece L. Maez (jmaez@smmusd.org); Carol Serlin; Doug Daugherty; Eric

Wood; Farshad Razmdjoo; Elizabeth Miesner

Subject: Draft Plan for SMMUSD

Steve,

Attached please find the draft Comprehensive PCB-Related Building Materials Inspection, Management, and Removal Plan for EPA's review. We would like your comments back soon given our schedule.

Best regards,

Υi



Yi Tian, CIH, CSP, QEP | Senior Manager

V: 949.798.3624 | M: 949.278.8426 | <u>ytian@environcorp.com</u>

This message contains information that may be confidential, privileged or otherwise protected by law from disclosure. It is intended for the exclusive use of the Addressee(s). Unless you are the addressee or authorized agent of the addressee, you may not review, copy, distribute or disclose to anyone the message or any information contained within. If you have received this message in error, please contact the sender by electronic reply to <a href="mail@environcorp.com">email@environcorp.com</a> and immediately delete all copies of the message.